



# LED Bathroom Mirrors

Brighten up your bathroom with class



# LED BATHROOM MIRROR



Touch Switch




Motion Sensor Switch



Clock




Bluetooth



Anti-fog



Color/ Temperature Adjusting



AI Voice Control



Dimmable Brightness



Magnifier



RGB Color Mode

## BATHROOM MIRROR

**NEW**  
PRODUCT



Multi-colored led lights



Touch Sensor Switch



Dimmable Brightness

### LED BATHROOM MIRROR

4mm Silver Mirror, Single white color light

Function: Touch Sensor Switch, Lighting, Anti-fog

CRI: 80+/85+/90+/95+ Optional

Voltage: AC100-240V, 50/60HZ

IP Rate: IP44

Size: W24"xH30"(W60.96 x H76.2 cm)- Size can be customized

## BATHROOM MIRROR

**NEW**  
PRODUCT



Multi-colored led lights



Touch Sensor Switch



Dimmable Brightness

### LED BATHROOM MIRROR

4mm Silver Mirror, Single white color light

Function: Touch Sensor Switch, Lighting, Dimmable

CRI: 80+/85+/90+/95+ Optional

Voltage: AC100-240V, 50/60HZ

IP Rate: IP44

Size: Dia 32"- Size can be customized

# BATHROOM MIRROR

**NEW**  
PRODUCT



Multi-colored led lights



Touch Sensor Switch



Dimmable Brightness

## LED BATHROOM MIRROR

4mm Silver Mirror, Single white color light

Function: Touch Sensor Switch, Lighting, Dimmable

CRI: 80+/85+/90+/95+ Optional

Voltage: AC100-240V, 50/60HZ

IP Rate: IP44

Size: W24"xH30"(W60.96 x H76.2 cm)- Size can be customized

# BATHROOM MIRROR

**NEW**  
PRODUCT



Multi-colored led lights



Touch Sensor Switch



Dimmable Brightness

## LED BATHROOM MIRROR

4mm Silver Mirror, Single white color light

Function: Touch Sensor Switch, Lighting

CRI: 80+/85+/90+/95+ Optional

Voltage: AC100-240V, 50/60HZ

IP Rate: IP44

Size: W24"xH30"(W60.96 x H76.2 cm)- Size can be customized


**DP314 SERIES**

**ABS FRAME BATHROOM MIRROR WITH BLUETOOTH**



**ALL FUNCTIONS COULD BE CUSTOMIZED**

ALL THE ELECTRICAL COMPONENTS CAN PASS UL, CUL, ETL, CE, SAA CERTIFICATES.



**LED BATHROOM MIRROR WITH BLUETOOTH SPEAKER**

Feature: 4mm Copper-Free Silver Mirror, 3 Colors Led Lights, Touch Sensor Switch, ABS Frame

Bluetooth: Version4.2

CRI: 80+

CCT: 3000K/4000K/6000K Optional


Voltage: AC100-240V, 50/60HZ

Function: Bluetooth Speaker, Clock, Date, Temperature

Display, Answer the Phone, Anti-Fog

IP Rate: IP65

Size: W80xH60cm, W23.6"xH31.5"



**DP313 SERIES**

**ABS FRAME BATHROOM MIRROR**



**DP313B**



**ABS FRAME BATHROOM MIRROR**

Feature: 4mm Copper-Free Silver Mirror, 3 Colors Led Lights, Touch Sensor Switch, ABS Plastic Frame  
CRI: 80+  
CCT: 3000K/4000K/6000K Optional  
Voltage: AC100-240V, 50/60HZ  
Function: Different Lights Designs; Anti-Fog  
IP Rate: IP65  
Size: W80xH60cm, W23.6"xH31.5"



Multi-colored led lights



Touch Sensor Switch



Dimmable Brightness



Anti-fog

**ALL FUNCTIONS COULD BE CUSTOMIZED**

ALL THE ELECTRICAL COMPONENTS CAN PASS UL, CUL, ETL, CE, SAA CERTIFICATES.

**DP313M**



**DP335**



**DP339 SERIES**


**ABS FRAMELESS BATHROOM MIRROR  
(ULTRATHIN DESIGN)**



DP339A

**ABS FRAMELESS BATHROOM MIRROR  
(ULTRATHIN DESIGN)**

Feature: 4mm Copper-Free Silver Mirror, 3 Colors Led Lights, Touch Sensor Switch, ABS Plastic Frame  
CRI: 80+  
CCT: 3000K/4000K/6000K Optional  
Voltage: AC100-240V, 50/60HZ  
Function: Different Lights Designs; Anti-Fog  
IP Rate: IP65  
Size: W50xH70cm, W19.6"xH27.5"



**ALL FUNCTIONS COULD BE CUSTOMIZED**  
ALL THE ELECTRICAL COMPONENTS CAN PASS UL, CUL, ETL, CE, SAA CERTIFICATES.



DP339B



DP339C



DP339D

DP321 SERIES

## ABS FRAME BATHROOM MIRROR



DP321B



### ABS FRAMELESS BATHROOM MIRROR

Feature: 4mm Copper-Free Silver Mirror, 3 Colors Led Lights, Touch Sensor Switch, Anti-Fog

CRI: 80+

CCT: 3000K/4000K/6000K Optional

Voltage: AC100-240V, 50/60HZ

Structure: Ultrathin Design, Frameless

IP Rate: IP65

Size: Diameter 60cm, Customized



Multi-colored led lights



Touch Sensor Switch



Dimmable Brightness



Anti-fog

### ALL FUNCTIONS COULD BE CUSTOMIZED

ALL THE ELECTRICAL COMPONENTS CAN PASS UL, CUL, ETL, CE, SAA CERTIFICATES.

DP321C



DP321D




DP321E





**ALUMINIUM FRAME LED BATHROOM MIRROR**  
**DP325**



Multi-colored led lights



Touch Sensor Switch



Dimmable Brightness



Anti-fog



**ALUMINIUM FRAME LED BATHROOM MIRROR**

Feature: 4mm Copper-Free Silver Mirror, 3 Colors Led Lights, Touch Sensor Switch, Anti-Fog

CRI: 80+

CCT: 3000K/4000K/6000K Optional

Voltage: AC100-240V, 50/60HZ

Structure: Aluminum Alloy Frame and PVC Cover

IP Rate: IP44

Size: Dia 60cm/23.6"

**ALUMINIUM FRAME LED BATHROOM MIRROR**  
**DP340**



Multi-colored led lights



Touch Sensor Switch



Dimmable Brightness



Anti-fog



**ALUMINIUM FRAME LED BATHROOM MIRROR**

Feature: 4mm Copper-Free Silver Mirror, 3 Colors Led Lights, Touch Sensor Switch, Anti-Fog

CRI: 80+

CCT: 3000K/4000K/6000K Optional

Voltage: AC100-240V, 50/60HZ


Structure: Aluminum Alloy Frame and PVC Cover

IP Rate: IP44

Size: W60xH80 cm, W23.6"xH31.5"

**ALUMINIUM FRAME LED BATHROOM MIRROR**  
DP342

**ALUMINIUM FRAME LED BATHROOM MIRROR**  
DP343



Multi-colored led lights



Touch Sensor Switch



Dimmable Brightness



Anti-fog



Multi-colored led lights



Touch Sensor Switch



Dimmable Brightness



Anti-fog

**ALUMINIUM FRAME LED BATHROOM MIRROR**

Feature: 5mm Copper-Free Silver Mirror, 3 Colors Led Lights, Touch Sensor Switch, Anti-Fog

CRI: 80+

CCT: 3000K/4000K/6000K Optional

Voltage: AC100-240V, 50/60HZ

Structure: Aluminum Alloy Frame and PVC Cover

IP Rate: IP44

Size: W50xH80 cm, W19.68"xH31.5"

**ALUMINIUM FRAME LED BATHROOM MIRROR**

Feature: 5mm Copper-Free Silver Mirror, 3 Colors Led Lights, Touch Sensor Switch, Anti-Fog

CRI: 80+

CCT: 3000K/4000K/6000K Optional

Voltage: AC100-240V, 50/60HZ

Structure: Aluminum Alloy Frame and PVC Cover

IP Rate: IP44

Size: W60xH100 cm, W23.6"xH39.4"

## ALUMINUM FRAME LED BATHROOM MIRROR DP350



Multi-colored led lights



Touch Sensor Switch



Dimmable Brightness



Anti-fog



### ALUMINUM FRAME LED BATHROOM MIRROR

Feature: 5mm Copper-Free Silver Mirror, 3 Colors Led Lights, Touch Sensor Switch, Anti-Fog

CRI: 80+

CCT: 3000K/4000K/6000K Optional

Voltage: AC100-240V, 50/60HZ

Structure: Aluminum Alloy Frame, With PC sheet around the glass mirror

IP Rate: IP44

Size: W70\*H90cm, W28"\*H36"

## AMAZON HOT SELL LIGHTED BATHROOM MIRROR

DP349



Multi-colored led lights



Touch Sensor Switch



Dimmable Brightness



Anti-fog



### AMAZON HOT SELL LIGHTED BATHROOM MIRROR

Feature: 5mm Copper-Free Silver Mirror, 3 Colors Led Lights, Touch Sensor Switch, Anti-Fog

CRI: 80+

CCT: 3000K/4000K/6000K Optional

Voltage: AC100-240V, 50/60HZ

Structure: Aluminum Alloy Frame Behind the Glass Mirror

IP Rate: IP44

Size: W60xH80cm, W24"xH32"

**HOTEL PROJECT LED BATHROOM MIRROR**  
DP324



Multi-colored led lights



Anti-fog

**HOTEL PROJECT LED BATHROOM MIRROR**

Feature: 5mm Copper-Free Silver Mirror, 3 Colors Led Lights, Touch Sensor Switch, Anti-Fog  
CRI: 80+  
CCT: 3000K/4000K/6000K Optional  
Voltage: AC100-240V, 50/60HZ  
Structure: Aluminum Alloy Frame and PVC Cover  
IP Rate: IP44  
Size: W91.44xH91.44 cm, W36"xH36"

**HOTEL PROJECT LED BATHROOM MIRROR**  
DP329



Multi-colored led lights




Anti-fog

**HOTEL PROJECT LED BATHROOM MIRROR**

Feature: 5mm Copper-Free Silver Mirror, 3 Colors Led Lights, Touch Sensor Switch, Anti-Fog  
CRI: 80+  
CCT: 3000K/4000K/6000K Optional  
Voltage: AC100-240V, 50/60HZ  
Structure: Aluminum Alloy Frame and PVC Cover  
IP Rate: IP44  
Size: W91.44xH109.22 cm, W36"xH43"

**HOTEL PROJECT LED BATHROOM MIRROR  
DP319**



Multi-colored led lights



Touch Sensor Switch



Dimmable Brightness



Anti-fog



**HOTEL PROJECT LED BATHROOM MIRROR**

Feature: 5mm Copper-Free Silver Mirror, 3 Colors Led Lights, Touch Sensor Switch, Anti-Fog

CCT: 3000K/4000K/6000K Optional

Voltage: AC100-240V, 50/60HZ

Structure: Aluminium Alloy Frame With PVC Cover

IP Rate: IP44

Size: W60xH80 cm, W24"xH31.5"

**HOTEL PROJECT LED BATHROOM MIRROR  
DP323**



Multi-colored led lights



Touch Sensor Switch



Dimmable Brightness



Anti-fog



**LED BATHROOM MIRROR**

Feature: 5 mm Copper-Free Silver Mirror, 3 Colors Led Lights, Touch Sensor Switch, Anti-Fog with 3 X magnifying mirror inside, dia 19cm/7.5"

CRI: 80+

CCT: 3000K/4000K/6000K Optional



Voltage: AC100-240V, 50/60HZ

Structure: Aluminum Alloy Frame and PVC Cover

IP Rate: IP44

Size: Dia 100cm/39.4"

**HOTEL PROJECT LED BATHROOM MIRROR**  
DP322A





-   
Multi-colored led lights
-   
Touch Sensor Switch
-   
Dimmable Brightness
-   
Anti-fog



**HOTEL PROJECT LED BATHROOM MIRROR**

Feature: 5mm Copper-Free Silver Mirror, 3 Colors Led Lights, Touch Sensor Switch, Anti-Fog  
 CRI: 80+  
 CCT: 3000K/4000K/6000K Optional  
 Voltage: AC100-240V, 50/60HZ  
 Structure: Aluminum Alloy Frame Behind the Glass mirror  
 IP Rate: IP44  
 Size: W130xH75 cm, W51.2"xH29.5"

**HOTEL PROJECT LED BATHROOM MIRROR**  
DP322B

-   
Multi-colored led lights
-   
Touch Sensor Switch
-   
Dimmable Brightness
-   
Anti-fog



**HOTEL PROJECT LED BATHROOM MIRROR**

Feature: 5mm Copper-Free Silver Mirror, 3 Colors Led Lights, Touch Sensor Switch, Anti-Fog  
 CRI: 80+  
 CCT: 3000K/4000K/6000K Optional  
 Voltage: AC100-240V, 50/60HZ  
 Structure: Aluminum Alloy Frame And PVC Cover  
 IP Rate: IP44  
 Size: W134xH65 cm, W52.8"xH25.6"

## LED BACKLIT BATHROOM MIRROR DP346



Multi-colored led lights



Touch Sensor Switch



Dimmable Brightness



Anti-fog



### LED BACKLIT BATHROOM MIRROR

Feature: 5mm Copper-Free Silver Mirror, 3 Colors Led Lights, Touch Sensor Switch, Anti-Fog

CCT: 3000K/4000K/6000K Optional

Voltage: AC100-240V, 50/60HZ

Structure: Aluminum Alloy Frame Behind the Glass Mirror

IP Rate: IP44

Size: Diameter 60cm

## LED BACKLIT BATHROOM MIRROR



Multi-colored led lights



Touch Sensor Switch



Dimmable Brightness



Anti-fog



### LED BACKLIT BATHROOM MIRROR

Feature: 5mm Copper-Free Silver Mirror, 3 Colors Led Lights, Touch Sensor Switch, Anti-Fog

CRI: 80+

CCT: 3000K/4000K/6000K Optional

Voltage: AC100-240V, 50/60HZ

Structure: Aluminum Alloy Frame Behind the Glass Mirror

IP Rate: IP44

Size: W70xH90cm, W27.5"xH35.4"

## LED BACKLIT BATHROOM MIRROR DP344



Multi-colored led lights




Touch Sensor Switch



Dimmable Brightness



Anti-fog



### LED BACKLIT BATHROOM MIRROR

Feature: 5mm Copper-Free Silver Mirror, 3 Colors Led Lights, Touch Sensor Switch, Anti-Fog

CRI: 80+

CCT: 3000K/4000K/6000K Optional

Voltage: AC100-240V, 50/60HZ

Structure: Aluminum Alloy Frame With PC Sheet

IP Rate: IP44

Size: W80xH60cm, W32"xH24"

## LED ACRYLIC BACKLIT BATHROOM MIRROR DP345



Multi-colored led lights



Anti-fog



### LED ACRYLIC BACKLIT BATHROOM MIRROR

Feature: 5mm Copper-Free Silver Mirror, 3 Colors Led Lights, Touch Sensor Switch, Anti-Fog

CRI: 80+

CCT: 3000K/4000K/6000K Optional

Voltage: AC100-240V, 50/60HZ

Structure: Aluminum Alloy Frame Behind the Glass Mirror,  
With Acrylic Lighting Edge





IP Rate: IP44

Size: W76xH107cm, W30"xH42"



**RGB MODE BATHROOM MIRROR**  
DP362 - RGB



-  Multi-colored led lights
-  Touch Sensor Switch
-  Dimmable Brightness
-  Anti-fog



**RGB MODE BATHROOM MIRROR**

Feature: 4mm Copper-Free Silver Mirror, Bright White LED Light, RGB Mode, Anti-Fog  
 CRI: 80+  
 CCT: 3000K/4000K/6000K Optional  
 Voltage: AC100-240V, 50/60HZ  
 Structure: Iron Frame With Storage Bracket  
 IP Rate: IP44  
 Size: W64.3xH80cm, W25.3"xH32"

**MOTION SENSOR BATHROOM MIRROR**



-  Multi-colored led lights
-  Motion Sensor Switch
-  Dimmable Brightness
-  Anti-fog



**MOTION SENSOR BATHROOM MIRROR**

Feature: 4mm Copper-Free Silver Mirror, 3 Color LED Light  
 CRI: 80+  
 CCT: 3000K/4000K/6000K Optional  
 Voltage: AC100-240V, 50/60HZ  
 Structure: ABS Plastic Frame  
 IP Rate: IP44  
 Size: W80xH60cm, W23.6"xH31.5"

**BATHROOM MIRROR**  
DP363



Multi-colored led lights



Touch Sensor Switch



Dimmable Brightness

**BATHROOM MIRROR**  
DP364



Multi-colored led lights



Touch Sensor Switch



Dimmable Brightness

**LED BATHROOM MIRROR**




Feature: 4mm Copper-Free Silver Mirror, 3 Color LED Light  
CRI: 80+  
CCT: 3000K/4000K/6000K Optional  
Voltage: AC100-240V, 50/60HZ  
Structure: Iron Frame With Storage Bracket  
IP Rate: IP44  
Size: Diameter 80 cm, Customized

**LED BATHROOM MIRROR**

Feature: 4 mm Copper-Free Silver Mirror, 3 Color LED Light  
CRI: 80+  
CCT: 3000K/4000K/6000K Optional  
Voltage: AC100-240V, 50/60HZ  
Structure: Iron Frame With Storage Bracket  
IP Rate: IP44  
Size: Diameter 80 cm, Customized




**BATHROOM MIRROR**  
DP365



-  Multi-colored led lights
-  Touch Sensor Switch
-  Dimmable Brightness

**BATHROOM MIRROR**  
DP365



-  Multi-colored led lights
-  Touch Sensor Switch
-  Dimmable Brightness

**LED BATHROOM MIRROR**

Feature: 4mm Copper-Free Silver Mirror, 3 Color LED Light  
CRI: 80+  
CCT: 3000K/4000K/6000K Optional  
Voltage: AC100-240V, 50/60HZ  
Structure: Iron Frame With Storage Bracket  
IP Rate: IP44  
Size: Diameter 80cm, Customized

**LED BATHROOM MIRROR**

Feature: 4mm Copper-Free Silver Mirror, 3 Color LED Light  
CRI: 80+  
CCT: 3000K/4000K/6000K Optional  
Voltage: AC100-240V, 50/60HZ  
Structure: Iron Frame With Storage Bracket  
IP Rate: IP44  
Size: Diameter 80cm, Customized

**BATHROOM MIRROR**  
DP365



Multi-colored led lights



Touch Sensor Switch



Dimmable Brightness

**LED BATHROOM MIRROR**

Feature: 4mm Copper-Free Silver Mirror, 3 Color LED Light  
CRI: 80+  
CCT: 3000K/4000K/6000K Optional  
Voltage: AC100-240V, 50/60HZ  
Structure: Iron Frame With Storage Bracket  
IP Rate: IP44  
Size: Diameter 80 cm, Customized

**BATHROOM MIRROR**  
DP360



Multi-colored led lights



Touch Sensor Switch



Dimmable Brightness

**LED BATHROOM MIRROR**

Feature: 4 mm Copper-Free Silver Mirror, 3 Color LED Light, Touch Sensor Switch, Anti-Fog  
CRI: 80+  
CCT: 3000K/4000K/6000K Optional  
Voltage: AC100-240V, 50/60HZ  
Structure: Iron Frame With Storage Bracket  
IP Rate: IP44  
Size: W59.5XH59.5cm W23.4"xH23.4"

# Bathroom mirror cabinet series



Touch Switch



Clock




Bluetooth



Anti-fog



Color/ Temperature Adjusting



AI Voice Control



Dimmable Brightness



Magnifier

- Soft closed DTC bridge hinges
- Copper free mirror with good corrosion resistance
- Adjustable tempered glass shelves
- Back of carcass can use mirror or MDF

CAN BE EMBEDDED IN THE WALL



## DPJG-01A SINGLE-OPEN MIRROR CABINET

Structure/features: 4mm copper-free silver mirror, 3-color LED light touch sensor, space aluminum frame

Color Rendering Index: 80+

Color Temperature: 3000K-6500K Optional

Power: AC100-240V, 50/60HZ

Function: Different lighting designs; anti-fog; Bluetooth speaker, weather, time and temperature display can be customized

Waterproof Rate: IP44

Size: W500\*H700\*Thickness145mm



Touch Switch  
Change Colors  
Dimmable Brightness

Glass framed



## DOUBLE DOOR MIRROR CABINET



### DPJG-01B DUAL-OPEN MIRROR CABINET

Structure/features: 4mm copper-free silver mirror, 3-color LED-light, touch sensor, space aluminum frame

Color Rendering Index: 80+

Color Temperature: 3000K~6500K Optional

Power: AC100-240V, 50/60HZ

Function: Different lighting designs; anti-fog; Bluetooth speaker, weather, time and temperature display can be customized

Waterproof Rate: IP44

Size: W800\*H700\*Thickness145mm



Touch Switch  
Change Colors  
Dimmable Brightness



Anti-fog



Glass framed

### DPJG-02A SINGLE-OPEN MIRROR CABINET

Structure/features: 4mm copper-free silver mirror, 3 color-LED light, touch sensor, space aluminum frame

Color Rendering Index: 80+

Color Temperature: 3000K~6500K Optional

Power:AC100-240V,50/60HZ

Function: Different lighting designs; anti-fog; Bluetooth speaker, weather, time and temperature display can be customized

Waterproof Rate: IP44

Size: W500\*H700\*Thickness145mm



Touch Switch  
Dimmable  
Brightness



Anti-fog



Change Colors



### DPJG-02B DUAL-OPEN MIRROR CABINET

Structure/features: 4mm copper-free silver mirror, 3 color-LED light, touch sensor, space aluminum frame

Color Rendering Index: 80+

Color Temperature: 3000K~6500K Optional

Power:AC100-240V,50/60HZ

Function: Different lighting designs; anti-fog; Bluetooth speaker, weather, time and temperature display can be customized

Waterproof Rate: IP44

Size: W800\*H700\*Thickness145mm



Touch Switch  
Change Colors  
Dimmable Brightness



Anti-fog

Glassframed



**DPJG-03A DUAL-OPEN MIRROR CABINET**

Structure/features: 4mm copper-free silver mirror, 3 color LED light, touch sensor, space aluminum frame

Color Rendering Index: 80+

Color Temperature: 3000K~6500K Optional

Power:AC100-240V,50/60HZ

Function: Different lighting designs; anti-fog; Bluetooth speaker, weather, time and temperature display can be customized

Waterproof Rate: IP44

Size: W800\*H700\*Thickness145mm



Touch Switch  
D immmable  
B rightness



A nti -fog



C hange Colors



**DPJG-03B TRIPLE-OPEN MIRROR CABINET**

Structure/features: 4mm copper-free silver mirror, 3 color LED light, touch sensor, space aluminum frame

Color Rendering Index: 80+

Color Temperature: 3000K~6500K Optional

Power:AC100-240V,50/60HZ

Function: Different lighting designs; anti-fog; Bluetooth speaker, weather, time and temperature display can be customized

Waterproof Rate: IP44

Size: W800\*H700\*Thickness145mm



Touch Switch  
C hange C olors  
D immmable B rightness



A nti-fog





Glass framed

### DPJG-04A SINGLE-OPEN MIRROR CABINET

Structure/features: 4mm copper-free silver mirror, 3-color LED light, touch sensor, space aluminum frame

Color Rendering Index: 80+

Color Temperature: 3000K-6500K Optional

Power: AC100-240V, 50/60HZ

Function: Different lighting designs; anti-fog; Bluetooth speaker, weather, time and temperature display can be customized

Waterproof Rate: IP44

Size: W500\*H700\*Thickness145mm



Touch Switch  
D imitable  
B rightness



A nti-fog



C hange Colors



### DPJG-04B DUAL-OPEN MIRROR CABINET

Structure/features: 4mm copper-free silver mirror, 3-color LED light, touch sensor, space aluminum frame

Color Rendering Index: 80+

Color Temperature: 3000K-6500K Optional

Power: AC100-240V, 50/60HZ

Function: Different lighting designs; anti-fog; Bluetooth speaker, weather, time and temperature display can be customized

Waterproof Rate: IP44

Size: W800\*H700\*Thickness145mm



Touch Switch  
D imitable  
B rightness



A nti-fog



C hange Colors

Glass framed



### DPJG-05A DUAL-OPEN MIRROR CABINET

Structure/features: 4mm copper-free silver mirror, 3-color LED light, touch sensor, space aluminum frame

Color Rendering Index: 80+

Color Temperature: 3000K~6500K Optional

Power:AC100-240V,50/60HZ

Function: Different lighting designs; anti-fog; Bluetooth speaker, weather, time and temperature display can be customized

Waterproof Rate: IP44

Size: W800\*H700\*Thickness145mm



Touch Switch  
D immable  
B rightness



A nti -fog



C hange Colors



### DPJG-05B DUAL-OPEN MIRROR CABINET

Structure/features: 4mm copper-free silver mirror, 3-color LED light, touch sensor, space aluminum frame

Color Rendering Index: 80+

Color Temperature: 3000K~6500K Optional

Power:AC100-240V,50/60HZ

Function: Different lighting designs; anti-fog; Bluetooth speaker, weather, time and temperature display can be customized

Waterproof Rate: IP44

Size: W800\*H700\*Thickness145mm



Touch Switch  
D immable  
B rightness



A nti -fog



C hange Colors

Glass framed



### DPJG-06A DUAL-OPEN MIRROR CABINET

Structure/features: 4mm copper-free silver mirror, 3-color LED light, touch sensor, space aluminum frame

Color Rendering Index: 80+

Color Temperature: 3000K-6500K Optional

Power: AC100-240V, 50/60HZ

Function: Different lighting designs; anti-fog; Bluetooth speaker, weather, time and temperature display can be customized

Waterproof Rate: IP44

Size: W800\*H700\*Thickness145mm



Touch Switch



### DPJG-06B TRIPLE-OPEN MIRROR CABINET

Structure/features: 4mm copper-free silver mirror, 3-color LED light, touch sensor, space aluminum frame

Color Rendering Index: 80+

Color Temperature: 3000K-6500K Optional

Power: AC100-240V, 50/60HZ

Function: Different lighting designs; anti-fog; Bluetooth speaker, weather, time and temperature display can be customized

Waterproof Rate: IP44

Size: W1000\*H900\*Thickness145mm




Touch Switch  
Change Colors  
Dimmable Brightness



Anti-fog



Aluminium alloy  
painting in black  
color frame



Motion  
Senser Switch



## INDUCTION BATHROOM MIRROR CABINET



### DPJG-07 SINGLE-OPEN MIRROR CABINET

Structure/features: 4mm copper-free silver mirror, 8-color LED light, touch sensor and motion sensor switch, space aluminum frame

Color Rendering Index: 80+

Color Temperature: 3000K~6500K Optional

Power: AC100 - 240V, 50 / 60HZ

Function: Different lighting designs; anti-fog; Bluetooth speaker, weather, time and temperature display can be customized

Waterproof Rate: IP44


Size: W500\*H700\*Thickness145mm



Touch Switch  
C hange Colors  
D immable B rightness



Aluminium alloy painting in white color frame



## INDUCTION BATHROOM MIRROR CABINET



### DPJG-08A SINGLE-OPEN MIRROR CABINET


Structure/features: 4mm copper-free silver mirror, 3-color-LED light, touch sensor and motion sensor switch, space aluminum frame  
 Color Rendering Index: 80+  
 Color Temperature: 3000K-6500K Optional  
 Power: AC100-240V, 50/60HZ  
 Function: Different lighting designs; anti-fog; Bluetooth speaker, weather, time and temperature display can be customized  
 Waterproof Rate: IP44  
 Size: W500\*H700\*Thickness145mm



Touch Switch  
 Change Colors  
 Dimmable Brightness



Aluminium alloy  
painting in white  
color frame



Motion  
Sensor Switch



# INDUCTION BATHROOM MIRROR CABINET

## DPJG-08B DUAL-OPEN MIRROR CABINET

Structure/features: 4mm copper-free silver mirror, 3-color LED light touch sensor and motion sensor switch, space aluminum frame  
Color Rendering Index: 80+  
Color Temperature: 3000K-6500K Optional  
Power: AC100-240V, 50/60HZ  
Function: Different lighting designs; anti-fog; Bluetooth speaker, weather, time and temperature display can be customized  
Waterproof Rate: IP44  
Size: W800\*H700\*Thickness145mm



Touch Switch  
Change Colors  
Dimmable Brightness



Aluminium alloy painting in black color frame



**DPJG-09A DUAL-OPEN MIRROR CABINET**

Structure/features: 4mm copper-free silver mirror, 3 color LED light, touch sensor, space aluminum frame

Color Rendering Index: 80+  
 Color Temperature: 3000K~6500K Optional  
 Power:AC100-240V,50/60HZ

Function: Different lighting designs; anti-fog; Bluetooth speaker, weather, time and temperature display can be customized

Waterproof Rate: IP44  
 Size: W800\*H700\*Thickness145mm



Touch Switch



Anti-fog



Bluetooth

**DPJG-09B DUAL-OPEN MIRROR CABINET**

Structure/features: 4mm copper-free silver mirror, 3 color LED light, touch sensor, space aluminum frame

Color Rendering Index: 80+  
 Color Temperature: 3000K~6500K Optional  
 Power:AC100-240V,50/60HZ

Function: Different lighting designs; anti-fog; Bluetooth speaker, weather, time and temperature display can be customized

Waterproof Rate: IP44  
 Size: W800\*H700\*Thickness145mm



Touch Switch

Aluminium alloy painting in black color frame

**DPJG-10A SINGLE-OPEN MIRROR CABINET**

Structure/features: 4mm copper-free silver mirror, 3-color LED light, touch sensor, space aluminum frame

Color Rendering Index: 80+

Color Temperature: 3000K-6500K Optional

Power: AC100-240V, 50/60HZ

Function: Different lighting designs; anti-fog; Bluetooth speaker, weather, time and temperature display can be customized

Waterproof Rate: IP44

Size: W500\*H700\*Thickness145mm



Touch Switch  
Change Colors  
Dimmable Brightness

**DPJG-10B DUAL-OPEN MIRROR CABINET**

Structure/features: 4mm copper-free silver mirror, 3-color LED light, touch sensor, space aluminum frame

Color Rendering Index: 80+

Color Temperature: 3000K-6500K Optional

Power: AC100-240V, 50/60HZ

Function: Different lighting designs; anti-fog; Bluetooth speaker, weather, time and temperature display can be customized

Waterproof Rate: IP44

Size: W800\*H700\*Thickness145mm



Touch Switch  
Change Colors  
Dimmable Brightness



Anti-fog