




# Toilet

**Elevate Your Everyday Comfort with Energy-Efficient Toilets**


[info@utctradingllc.com](mailto:info@utctradingllc.com)



# TECHNOLOGY DEVELOPMENT




Ceramic is a natural product made from raw materials such as kaolin, quartz, feldspar or clay and therefore inherently unique. All bathroom ceramics are individually finished by hand before glazing.






### A389

Siphonic/Washdown one-piece toilet  
Size: 665x355x820mm  
Siphonic / S-trap 300/400mm roughing-in  
Washdown / P-trap 180mm roughing-in  
S-trap 250mm roughing-in




### C389

Pedestal basin  
Size: 510x460x850mm  
Fixing to wall with back




### L389

Back to wall toilet  
Size: 555x355x395mm  
P-trap 180mm roughing-in  
S-trap 100mm roughing-in




### C389G

Wall-hung basin  
Size: 510x425x380mm  
Fixing to wall with back




### B389

Wall-hung toilet  
Size: 555x355x365mm  
P-trap 180mm roughing-in




### 500C

Wall-hung basin  
Size: 525x450x395mm  
Fixing to wall with back




### F389

Bidet  
Size: 545x350x400mm  
Fixing to wall with back



### F389G

Wall-hung bidet  
Size: 540x345x295mm  
Fixing to wall with back



# Suite series


Comfort by Design






### A370

Washdown one-piece toilet  
Size: 655x350x805mm  
P-trap 180mm roughing-in  
S-trap 250mm roughing-in



### H167


Back to wall toilet  
Size: 505x360x400mm  
P-trap 180mm roughing-in



Fashion maybe the subject of morden life and culture,meinasl is the choice of fashion life because of its exquisite model,functional design and environment protection idea.


### B2364

Wall-hung toilet  
Size: 520x360x350mm  
P-trap 180mm roughing-in




### C370

Wall-hung basin  
Size: 560x430x380mm  
Fixing to wall with back




### F067

Bidet  
Size: 505x360x400mm  
Fixing to wall with back



### FH067


Wall-hung bidet  
Size: 510x360x305mm  
Fixing to wall with back






### A8831

Washdown one-piece toilet  
Size: 670x370x840mm  
P-trap 180mm roughing-in  
S-trap 250mm roughing-in




### B8831

Wall-hung toilet  
Size: 550x365x395mm  
P-trap 180mm roughing-in




### L8831

Back to wall toilet  
Size: 555x365x405mm  
P-trap 180mm roughing-in  
S-trap 120/150mm roughing-in




### 500F

Wall-hung basin  
Size: 495x475x390mm  
Fixing to wall with back




### F8831

Bidet  
Size: 560x360x410mm  
Fixing to wall with back



### F8831G

Wall-hung bidet  
Size: 555x365x330mm  
Fixing to wall with back



# Suite series

Comfort by Design









### A3966

Washdown one-piece toilet  
Size: 750x420x885mm  
P-trap 180mm roughing-in  
S-trap 250mm roughing-in




### B2301

Wall-hung toilet  
Size: 580x400x390mm  
P-trap 180mm roughing-in




### L2301

Back to wall toilet  
Size: 575x415x460mm  
P-trap 180mm roughing-in  
S-trap 120/150mm roughing-in




### C2301G

Wall-hung basin  
Size: 520x520x415mm  
Fixing to wall with back




### F2301

Bidet  
Size: 575x405x460mm  
Fixing to wall with back




### F2301G

Wall-hung bidet  
Size: 570x405x405mm  
Fixing to wall with back



### C3966

Pedestal basin  
Size: 500x500x830mm  
Fixing to wall with back



# Suite series


Comfort by Design






### A3961

Siphonic/Washdown one-piece toilet  
Size:700x370x835mm  
Siphonic / S-trap 300/400mm roughing-in  
Washdown / P-trap 180mm roughing-in  
S-trap 250mm roughing-in




### D3961

Pedestal basin  
Size:475x475x835mm  
Fixing to wall with back




### B2361

Wall-hung toilet  
Size:520x365x350mm  
P-trap 180mm roughing-in



### C2361

Wall-hung basin  
Size:515x435x400mm  
Fixing to wall with back




They are recommended by high-class designers and connoisseurs, stand in the front line of fashion to drive the bath-room culture, to enjoy ourselves in the new space.






### A8060

Washdown one-piece toilet  
Size:700x370x835mm  
P-trap 180mm roughing-in  
S-trap 250mm roughing-in




### B2376

Wall-hung toilet  
Size:530x360x370mm  
P-trap 180mm roughing-in




### H157

Back to wall toilet  
Size:545x375x400mm  
P-trap 180mm roughing-in




### 500G

Wall-hung basin  
Size:540x445x370mm  
Fixing to wall with back




### F057

Bidet  
Size:540x370x405mm  
Fixing to wall with back



### FH057

Wall-hung bidet  
Size:530x360x330mm  
Fixing to wall with back




Through our world of contrasting colours, artfully furniture pieces, and pronounced shapes, this effortless blend of pieces with refreshingly simple classical lines provides you with complementary elements from which to choose.



# Suite series


Comfort by Design






### A3996

Siphonic/Washdown one-piece toilet  
Size:700x415x790mm  
Siphonic / S-trap 300/400mm roughing-in  
Washdown / P-trap 180mm roughing-in  
S-trap 250mm roughing-in




### B2396

Wall-hung toilet  
Size:545x370x320mm  
P-trap 180mm roughing-in




### L2396

Back to wall toilet  
Size:560x375x395mm  
P-trap 180mm roughing-in




### C2396

Wall-hung basin  
Size:520x470x360mm  
Fixing to wall with back



### F2396

Bidet  
Size:550x375x390mm  
Fixing to wall with back



# Suite series


Comfort by Design






### A8057

Washdown two-piece toilet  
Size: 620x380x775mm  
P-trap 180mm roughing-in  
S-trap 100-220mm roughing-in




### A8067

Washdown two-piece toilet  
Size: 640x370x805mm  
P-trap 180mm roughing-in  
S-trap 250mm roughing-in




### A8068

Washdown two-piece toilet  
Size: 680x375x810mm  
P-trap 180mm roughing-in  
S-trap 250mm roughing-in




### F057

Bidet  
Size: 540x370x405mm  
Fixing to wall with back




### F067

Bidet  
Size: 505x360x400mm  
Fixing to wall with back




### F8831

Bidet  
Size: 560x360x410mm  
Fixing to wall with back




### 500G

Wall-hung basin  
Size: 540x445x370mm  
Fixing to wall with back




### C370

Wall-hung basin  
Size: 560x430x380mm  
Fixing to wall with back



### 500F

Wall-hung basin  
Size: 495x475x390mm  
Fixing to wall with back






# One piece toilet

Comfort by Design




## A370

Washdown one-piece toilet  
 Size: 655x350x805mm  
 P-trap 180mm roughing-in  
 S-trap 250mm roughing-in




## A3924

Washdown one-piece toilet  
 Size: 700x375x780mm  
 P-trap 180mm roughing-in  
 S-trap 250mm roughing-in




## A380

Siphonic/Washdown one-piece toilet  
 Size: 725x355x845mm  
 Siphonic / S-trap 300/400mm roughing-in  
 Washdown / P-trap 180mm roughing-in  
 S-trap 250mm roughing-in



## A8869B


Siphonic one-piece toilet  
 Size: 660x360x805mm  
 S-trap 300/400mm roughing-in






### A389

Washdown one-piece toilet  
Size: 665x355x820mm  
Siphonic / S-trap 300/400mm roughing-in  
Washdown / P-trap 180mm roughing-in  
S-trap 250mm roughing-in




### A8869

Washdown one-piece toilet  
Size: 660x360x805mm  
P-trap 180mm roughing-in  
S-trap 250mm roughing-in




### A8831

Washdown one-piece toilet  
Size: 670x370x840mm  
P-trap 180mm roughing-in  
S-trap 250mm roughing-in




### A3966

Washdown one-piece toilet  
Size: 750x420x885mm  
P-trap 180mm roughing-in  
S-trap 250mm roughing-in




### A8060

Washdown one-piece toilet  
Size: 700x370x835mm  
P-trap 180mm roughing-in  
S-trap 250mm roughing-in




### A3961

Siphonic/Washdown one-piece toilet  
Size: 700x370x835mm  
Siphonic / S-trap 300/400mm roughing-in  
Washdown / P-trap 180mm roughing-in  
S-trap 250mm roughing-in




### A3996

Siphonic/Washdown one-piece toilet  
Size: 700x415x790mm  
Siphonic / S-trap 300/400mm roughing-in  
Washdown / P-trap 180mm roughing-in  
S-trap 250mm roughing-in



### A3962


Siphonic/Washdown one-piece toilet  
Size: 680x400x785mm  
Siphonic / S-trap 300/400mm roughing-in  
Washdown / P-trap 180mm roughing-in  
S-trap 250mm roughing-in






### A3958

Washdown one-piece toilet  
Size:710x380x820mm  
P-trap 180mm roughing-in  
S-trap 300/400mm roughing-in




### A3967

Siphonic/Washdown one-piece toilet  
Size:685x360x780mm  
Siphonic / S-trap 300/400mm roughing-in  
Washdown / P-trap 180mm roughing-in  
S-trap 250mm roughing-in




### A3964

Siphonic/Washdown one-piece toilet  
Size:650x360x760mm  
Siphonic / S-trap 300/400mm roughing-in  
Washdown / P-trap 180mm roughing-in  
S-trap 250mm roughing-in




### A3968

Siphonic/Washdown one-piece toilet  
Size:685x355x775mm  
Siphonic / S-trap 300/400mm roughing-in  
Washdown / P-trap 180mm roughing-in  
S-trap 250mm roughing-in




### A3952

Siphonic/Washdown one-piece toilet  
Size:700x370x845mm  
Siphonic / S-trap 300/400mm roughing-in  
Washdown / P-trap 180mm roughing-in  
S-trap 250mm roughing-in




### A3994

Siphonic/Washdown one-piece toilet  
Size:730x375x755mm  
Siphonic / S-trap 300/400mm roughing-in  
Washdown / P-trap 180mm roughing-in  
S-trap 250mm roughing-in




### A3971

Siphonic/Washdown one-piece toilet  
Size:680x400x790mm  
Siphonic / S-trap 300/400mm roughing-in  
Washdown / P-trap 180mm roughing-in  
S-trap 250mm roughing-in



### A3926


Siphonic/Washdown one-piece toilet  
Size:690x375x805mm  
Siphonic / S-trap 300/400mm roughing-in  
Washdown / P-trap 180mm roughing-in  
S-trap 250mm roughing-in






### A3960

Washdown one-piece toilet  
Size: 730x390x800mm  
P-trap 180mm roughing-in  
S-trap 250mm roughing-in




### A3965

Siphonic/Washdown one-piece toilet  
Size: 750x500x645mm  
Siphonic / S-trap 300/400mm roughing-in  
Washdown / P-trap 180mm roughing-in  
S-trap 250mm roughing-in




### A3948

Washdown one-piece toilet  
Size: 680x365x795mm  
P-trap 180mm roughing-in  
S-trap 250mm roughing-in




### A8057

Washdown two-piece toilet  
Size: 620x380x775mm  
P-trap 180mm roughing-in  
S-trap 100-220mm roughing-in




### A8067

Washdown two-piece toilet  
Size: 640x370x805mm  
P-trap 180mm roughing-in  
S-trap 250mm roughing-in




### A8068

Washdown two-piece toilet  
Size: 680x375x810mm  
P-trap 180mm roughing-in  
S-trap 250mm roughing-in




### 2139

Washdown two-piece toilet  
Size: 750x400x805mm  
S-trap 300mm roughing-in



### 3139

Washdown two-piece toilet  
Size: 700x370x750mm  
S-trap 300mm roughing-in



# Wall-hung toilet


Comfort by Design






### L389

Back to wall toilet  
Size:555x355x395mm  
P-trap 180mm roughing-in  
S-trap 100mm roughing-in




### B389

Wall-hung toilet  
Size:555x355x365mm  
P-trap 180mm roughing-in



### H167

Back to wall toilet  
Size:505x360x400mm  
P-trap 180mm roughing-in




Rimless



### B2364

Wall-hung toilet  
Size:520x360x350mm  
P-trap 180mm roughing-in




Rimless




### H157

Back to wall toilet  
Size:545x375x400mm  
P-trap 180mm roughing-in




### B2376

Wall-hung toilet  
Size:530x360x370mm  
P-trap 180mm roughing-in




### L2301

Back to wall toilet  
Size:575x415x460mm  
P-trap 180mm roughing-in  
S-trap 120/150mm roughing-in



### B2301


Wall-hung toilet  
Size:580x400x390mm  
P-trap 180mm roughing-in






### L2396

Back to wall toilet  
Size:560x375x395mm  
P-trap 180mm roughing-in




### B2396

Wall-hung toilet  
Size:545x370x320mm  
P-trap 180mm roughing-in




### L2380

Back to wall toilet  
Size:565x355x405mm  
P-trap 180mm roughing-in  
S-trap 120/150mm roughing-in




### B2380

Wall-hung toilet  
Size:555x355x340mm  
Size:500x335x300mm  
P-trap 180mm roughing-in




### L2375

Back to wall toilet  
Size:570x380x410mm  
P-trap 180mm roughing-in  
S-trap 120/150mm roughing-in




### B2375

Wall-hung toilet  
Size:570x390x350mm  
P-trap 180mm roughing-in




### B2390

Wall-hung toilet  
Size:575x370x350mm  
P-trap 180mm roughing-in



### B2370


Wall-hung toilet  
Size:570x350x330mm  
P-trap 180mm roughing-in





### L8831

Back to wall toilet  
Size:555x365x405mm  
P-trap 180mm roughing-in  
S-trap 120/150mm roughing-in




Rimless



### B8831

Wall-hung toilet  
Size:550x365x395mm  
P-trap 180mm roughing-in




Rimless



### B8831S

Wall-hung toilet  
Size:485x365x360mm  
P-trap 180mm roughing-in




Rimless




### B2361


Wall-hung toilet  
Size:520x365x350mm  
P-trap 180mm roughing-in




## Fixing installation manual




1. Five accessories:Part A,B,C,D,E;




2. Fix the Part B into the screw as the above picture;




3. Put Part C into the installing hole on the pan;



4. Insert the Part C into Part B;



5. Fix Part D into the hole on Part C by tool Part A;



6. Cover Part E on the hole of the pan